

www.lkdentalstudio.com  
 A Novadent Company  
 3420 Fostoria Way, Suite G-202  
 San Ramon, CA 94583  
**Toll-free 866 550-3522**  
 Local: 925 901-0262  
 Fax: 925 901-0108

**PATIENT NAME** \_\_\_\_\_

SEX  M  F

AGE \_\_\_\_\_

**TEETH TO BE RESTORED**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17

**CHARACTERIZATION**


- Translucency  Heavy  Medium  Minimum  None
- Lobing  Yes  No
- Surface Texture  Heavy  Medium  Light
- Occlusion Stain  Heavy  Medium  Light  None Occlusion Stain Color \_\_\_\_\_
- Hypo-Calcification  Heavy  Medium  Light

**VALUE**

- High
- Medium
- Low

**SHADE**

- Stump/Prep Shade \_\_\_\_\_
- Gingival Shade \_\_\_\_\_
- Body Shade \_\_\_\_\_
- Incisal Shade \_\_\_\_\_



**CALL ME INSTRUCTIONS**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**PLEASE SEND**

- Rx
- Air Bills
- Boxes

**METAL-FREE RESTORATIONS**

- IPS Empress Esthetic
- IPS e.max
- Feldspathic
- Lava Crown
- Lava Bridge
- Sinfony
- Other \_\_\_\_\_

**VERTICAL DIMENSION**

Open Bite \_\_\_\_\_ mm

**CENTRAL LENGTH**

CEJ tooth # \_\_\_\_\_ to CEJ tooth # \_\_\_\_\_

**DIAGNOSTIC WAX-UP**

- Prep Model
- Bite Matrix
- Temp Matrix

**SHAPE**

Smile Guide Design # \_\_\_\_\_

Match Photographs \_\_\_\_\_

**SOFT TISSUE MODEL**

- If Insufficient Room**  Call  Reduce Prep  Reduce Opposing  Close Diastema
- Occlusion Clearance**  In Occlusion  Out of Occlusion  Foil Relief
- Mold of Crown**  Follow Study Model  Match Existing  Ideal

**PORCELAIN TO METAL**

- Non Precious (nickel free)
- Semi Precious  White High Noble
- Yellow High Noble  Metal Try-in

**MARGIN DESIGN**

- Facial All Porcelain Margin
- 360° All Porcelain Margin
- Facial Show No Metal with small lingual collar
- 360° Show No Metal



**PONTIC DESIGN**

- Sanitary
- Bullet
- Ovate
- Half Ridge lap
- Full Ridge lap

**REMOVABLE APPLIANCE**

- Neuromuscular Orthotic
- Night Guard
- Flipper
- Partial
- Denture
- Other \_\_\_\_\_

**IMPLANTS**

- System: \_\_\_\_\_
- Diameter: \_\_\_\_\_
- Screw Retained
- Cement Retained
- Doctor to provide components
- Lab to provide components

**FULL METAL**

- 52%
- 77%
- Call to Discuss

**ATTACHMENT DESIGN**

- ERA
- Keyway
- Other \_\_\_\_\_

**TEMPORARIES**

- Processed Temps (indicate pontics)
- Processed Temps (metal reinforced)

**RETURN FOR**

- Die Trim
- Evaluation
- Wax Check
- Metal Try-in
- Bisque
- Finish